

**ASME B5.54-2005**  
(Revision of ASME B5.54-1992)

# **Methods for Performance Evaluation of Computer Numerically Controlled Machining Centers**

**AN AMERICAN NATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

**ASME B5.54-2005**  
(Revision of ASME B5.54-1992)

# **Methods for Performance Evaluation of Computer Numerically Controlled Machining Centers**

**AN AMERICAN NATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

Three Park Avenue • New York, NY 10016

Date of Issuance: March 25, 2005

The 2005 edition of this Standard is being issued with an automatic addenda subscription service. The use of addenda allows revisions made in response to public review comments or committee actions to be published as necessary. This Standard will be revised when the Society approves the issuance of a new edition.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,  
in an electronic retrieval system or otherwise,  
without the prior written permission of the publisher.

The American Society of Mechanical Engineers  
Three Park Avenue, New York, NY 10016-5990

Copyright © 2005 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All rights reserved  
Printed in U.S.A.

# CONTENTS

Foreword .....	viii
Committee Roster .....	ix
Correspondence With the B5 Committee .....	x
<b>1 Scope</b> .....	<b>1</b>
1.1 General .....	1
1.2 Performance Forms .....	1
<b>2 References</b> .....	<b>18</b>
<b>3 Nomenclature</b> .....	<b>19</b>
<b>4 Definitions</b> .....	<b>23</b>
4.1 Glossary .....	23
4.2 Machine Classifications .....	36
<b>5 Environmental Specifications</b> .....	<b>43</b>
5.1 General .....	43
5.2 Temperature .....	43
5.3 Seismic Vibration .....	43
5.4 Electrical .....	44
5.5 Utility Air .....	44
5.6 Other .....	45
<b>6 Environmental Tests</b> .....	<b>46</b>
6.1 General .....	46
6.2 Environmental Temperature Variation Error (ETVE) .....	46
6.3 Relative Vibration Tests .....	51
6.4 Electrical Tests .....	53
6.5 Utility Air and Other Tests .....	53
<b>7 Machine Performance</b> .....	<b>55</b>
7.1 General .....	55
7.2 Machine Compliance and Hysteresis .....	56
7.3 Positioning Accuracy and Repeatability .....	61
7.4 Geometric Accuracy Tests .....	68
7.5 Spindle Axis of Rotation .....	78
7.6 Machine Thermal Tests .....	81
7.7 Diagonal Displacement Test .....	87
7.8 Subsystems Repeatability .....	88
7.9 Machine Performance as a Measuring Tool .....	92
7.10 CNC Performance Tests .....	95
7.11 Contouring Performance Using Circular Tests .....	99
<b>8 Machining Test Parts</b> .....	<b>102</b>
8.1 General .....	102
8.2 Precision Contouring Machining Test: All Machining Centers .....	103
8.3 Machining Tests for Four- and Five-Axis Machining Centers .....	105
8.4 Production Parts .....	105
<b>9 Cutting Performance Tests</b> .....	<b>108</b>

9.1	General .....	108
9.2	Complete Set of Tests.....	108
9.3	Machining Center Ranges .....	109
9.4	Spindle Idle Run Loss Test .....	109
9.5	Chatter Limits Tests and Full Torque Test .....	109
<b>10</b>	<b>Multifunction Cycle Test .....</b>	<b>124</b>
10.1	General .....	124
10.2	Procedure.....	124
10.3	Functional Check.....	124
<b>11</b>	<b>Test Equipment and Instrumentation .....</b>	<b>125</b>
11.1	General .....	125
11.2	Temperature .....	125
11.3	Relative Vibration.....	125
11.4	Displacement.....	125
11.5	Angle.....	126
11.6	Pressure .....	126
11.7	Humidity .....	126
11.8	Utility Air .....	126
11.9	Spindle Error Measurement.....	126
11.10	Indicators for Straightness Measurements .....	127
11.11	Test Part Measurement .....	127

**Figures**

4.1	Schematic Diagrams of the Six Basic Degrees of Freedom of an Axis of Rotation .....	24
4.2	Four Body Diagonals of a Rectangular Prism .....	25
4.3	Face Diagonals of a Rectangular Prism .....	27
4.4	Error Motion Polar Plot Showing Polar Chart (PC) Center, a Minimum Radial Separation (MRS) Center, and Error Motion Values About These Centers .....	31
4.5	Example of a Structural Loop Showing a Part, Spindle, Machine Frame, and Tool.....	33
4.6	Code Numbers for Spindle Types .....	38
4.7	Code Numbers for Column Types.....	39
4.8	Code Numbers for Column Traverse .....	39
4.9	Code Numbers for Spindle Head Traverse.....	40
4.10	Code Numbers for Table Traverse .....	41
4.11	Examples of Machining Centers Classified by Code Numbers.....	42
6.1	Typical Setup for Environmental Temperature Variation Error (ETVE) Measurement on a Vertical Machining Center .....	47
6.2	Temperature, Displacement, and Tilt Motion Results From a Typical ETVE Test.....	48
7.1	Setup for Measuring the Compliance and Machine Hysteresis of a Linear Axis .....	57
7.2	Setup for Measuring the Compliance and Machine Hysteresis of a Linear Axis in a Vertical Direction .....	57
7.3	Typical Plot Showing Results of a Compliance and Axis Hysteresis Test.....	58
7.4	Setup for Angular Compliance Measurement on a Rotary Positioning Axis ....	59
7.5	Setup for Angular Compliance Measurement on a Tilt Table .....	59
7.6	Application of a Laser Interferometer to Test the Positioning Accuracy of a Linear Axis .....	61
7.7	Setup for Measuring the Positioning Accuracy of a Rotary Table With a Laser Angle Interferometer and a Calibrated Indexing Table .....	62
7.8	Setup for Adjusting the Alignment of an Indexing Table and a Laser Angle Interferometer.....	62

7.9	Setup for the Positioning Accuracy of a Rotary Axis Showing the Polygon, Autocollimator, and Rotary Table .....	63
7.10	Setup for Measuring the Positioning Accuracy of a Rotary Axis With a Calibrated Rotary Encoder.....	63
7.11	Standard Test Cycle.....	64
7.12	Full Data Set for the Positioning Deviations of an Axis, Bidirectional.....	65
7.13	Positioning Deviations of an Axis, Forward Direction Only .....	66
7.14	Setup for the Measurement of the Periodic Angular Error With a Displacement Indicator .....	68
7.15	Periodic Error, $P$ , of a Linear Axis .....	69
7.16	Typical Linear Carriage Designed for Motion in the X Direction.....	70
7.17	Setup for Measuring Straightness Using an Electronic Indicator and a Mechanical Straightedge.....	70
7.18	Test Setup for Measuring Straightness Using Taut Wire .....	71
7.19	Straightness Setup Showing an Alignment Laser.....	71
7.20	Typical Straightness Interferometer of the Most Common Type.....	72
7.21	An Angular Interferometer Setup to Measure Pitch on a Machine Where the Spindle Moves Relative to the Table.....	72
7.22	Typical Setup Showing Differential Levels to Measure the Roll of a Horizontal Axis .....	73
7.23	Differential Straightness Measurement Used to Measure the Roll of a Vertical Axis .....	73
7.24	Diagram Showing the Effect of Cross-Axial Roll on the Measurement of Roll of a Vertical Axis Using Differential Straightness.....	74
7.25	Setup for Measuring Squareness With an Optical Square and a Straightness Interferometer: Line 1 .....	74
7.26	Setup for Measuring Squareness With an Optical Square and a Straightness Interferometer: Line 2 .....	74
7.27	Conceptual Diagram Showing the Angles Obtained in a Squareness Measurement.....	75
7.28	Analysis of Parallelism Between Two Linear Axes (Parallelism Is Calculated From the Differences in Best-Fit Slopes of Each Profile).....	75
7.29	Measurement of Rotary Axis Squareness Using a Mechanical or Optical Straightedge.....	76
7.30	Measurement of Rotary Axis Squareness (or Parallelism) Using a Straightness Interferometer.....	77
7.31	Measurement of Parallelism of the Z-Axis With a Rotary Table.....	77
7.32	Schematic of the Test Setup for Radial Error Motion With a Rotating Sensitive Direction.....	78
7.33	Test Method for Radial Motion With a Rotating Sensitive Direction and the Ball Mounted Eccentric to the Spindle.....	79
7.34	Typical Total Error Motion Polar Plot Showing Asynchronous Error Motion and Average Error Motion Value as Utilized in This Standard.....	80
7.35	Five-Sensor Test System for Tilt Error Motion Test on a Machining Center.....	80
7.36	Setup for Axial Error Motion Measurement for Rotating Sensitive Direction.....	81
7.37	Sensor Data From a Typical Spindle Thermal Warm-Up Test .....	83
7.38	Tilts of the Axis Average Line, Spindle Warm-Up Test .....	84
7.39	Path for Measuring Thermal Distortion Caused by Moving Linear Axes.....	85
7.40	Position Error Versus Time for a Typical Test for Thermal Distortion Caused by a Moving Linear Axis .....	86
7.41	Typical Results From a Composite Thermal Error Test .....	87
7.42	Tool Holders Used for Tool Change Repeatability.....	88
7.43	Three-Sensor Nest Setup for Tool Change Repeatability .....	88
7.44	Test Setup for Pallet Change Repeatability.....	90
7.45	Tool Length Measurement With No Spindle Rotation .....	90

7.46	Tool Length Measurement With Rotating Spindle .....	91
7.47	Tool Diameter Measurement .....	91
7.48	Illustration of the Probing Pattern Used for Determining Three-Dimensional Probing Capability .....	93
7.49	Sample Results From the Small Increment Tests .....	96
7.50	Test Setup .....	97
7.51	Sample Acceleration Plot .....	99
7.52	Examples of Circle Test Setups .....	100
7.53	Typical Results From a 360 deg Circular Test .....	101
8.1	Precision Contouring Test Part Test Piece Blank .....	103
8.2	Precision Contouring Test Part Machining Dimensions .....	104
8.3	Precision Contouring Test Part Inspection Requirements .....	106
9.1	Typical Transfer Functions .....	110
9.2	Typical Plot of the Power Loss in the Spindle Idle Run Loss Test .....	111
9.3	Typical Face Mills .....	114
9.4	Typical End Mills .....	114
9.5	Typical End Mills With Carbide Inserts .....	115
9.6	Typical Test Parts for the Chatter Tests .....	116
9.7	Chatter Test for Face Mills .....	117
9.8	Chatter Test With End Mills .....	118
9.9	Typical Results of the Chatter Test in One Axis Direction .....	118
9.10	Plot of the Limit Cross-Sectional Area of Cut Versus the Radial Immersion for a Typical Chatter Test .....	119
9.11	Test Part and Test Procedure for the End Milling Deflection Test .....	120
9.12	Sample Measurements of the Part Profile in the End Milling Deflection Test .....	121
9.13	Face Milling Deflection Test .....	122
9.14	Sample Displacement Measurements for the Face Milling Deflection Test When "Slotting" (Radial Immersion = 1) .....	123
 <b>Forms</b>		
1.1	General Form .....	2
1.2	Chapter 5 Environmental Specifications Guidelines .....	4
1.3	Chapter 6 Environmental Tests .....	6
1.4	Chapter 7 Machine Performance .....	7
1.5	Chapter 9 Cutting Performance Tests .....	15
1.6	Multifunction Cycle Test .....	17
8.1	Precision Contouring Test Part Inspection Results .....	107
9.1	Record of the Fill Torque Test .....	119
9.2	Deflection Errors in Face Milling .....	122
 <b>Tables</b>		
4.1	Key to Unit Code .....	37
6.1	Specification Zones Derated Due to an Excessive Expanded Thermal Uncertainty .....	51
6.2	Example Calculations for Derating of Specification Zones Due to Thermal Uncertainty .....	52
6.3	Specification Zones Derated Due to an Excessive Angular Expanded Thermal Uncertainty .....	53
6.4	Performance Parameters Derated Due to Excessive Environmental Vibration .....	53
7.1	Suggested Maximum Loads for the Machine Compliance and Hysteresis Test (Not for Spindles With More Than 10,000 rpm) .....	57
7.2	Typical Test Results for the Positioning and Repeatability of a Linear Axis (Measured in $\mu\text{m}$ ) .....	67
8.1	Types and Sizes of Test Parts .....	103
9.1	Metric to English Conversion Used in This Standard .....	108

9.2	Machining Center Ranges .....	111
9.3	Chip Loads for Cutting Performance Test .....	111
9.4	Standard Tools and Default Machine and Cutting Parameters for the Face Milling Chatter Test(s) .....	112
9.5	Standard Tools and Default Machine and Cutting Parameters for the Chatter Tests Using Solid (HSS or Carbide) End Mills .....	113
9.6	Standard Tools and Default Machine and Cutting Parameters for the Chatter Test for End Mills With Carbide Inserts .....	113
9.7	Record of the Chatter Test .....	117
9.8	Typical Results From an End Milling Deflection Test .....	120
9.9	Location of Measurements for the End Milling Deflection Test .....	120

**Nonmandatory Appendices**

A	Guide for Using This Standard .....	129
B	Thermal Environment Verification Tests .....	131
C	Seismic Vibration Verification Tests .....	133
D	Electrical Power Monitoring Tests .....	137
E	Machine Functional Tests .....	138
F	Machine Leveling and Alignment .....	140
G	Clarifications for Cutting Performance Tests .....	141
H	Laser and Machine Scale Corrections .....	153
I	Drift Checks for Sensors, Including Lasers .....	154
J	Example Ball Bar Patterns for Four- and Five-Axis Machining Centers .....	157
K	Discussion of the UNDE and Thermal Uncertainty .....	165
L	Straightedge Reversal Technique .....	170
M	Calculation of Uncertainties .....	172
N	Sign Conventions for Error Values .....	175
O	Static Error Motion Measurement .....	176

# FOREWORD

The primary purpose of this Standard is to provide procedures for the performance evaluation of computer numerically controlled (CNC) machining centers. The secondary purpose is to facilitate performance comparisons between machines and to provide for machine evaluation after refit. Definitions, environmental requirements, and test methods are specified. This Standard defines the test methods capable of yielding adequate results for most machines, but is not intended to supplant more complete tests that may be required for particular special applications.

This first revision of this Standard provides consistency with the recently published standard for turning centers (ASME B5.57-1998) with respect to some definitions, data analysis, and reported parameters. To achieve consistency, uncertainty analysis was used to analyze data and report parameters for many of the procedures, deemed appropriate, within this Standard. Availability of improved measurement technology and increasing demand for greater accuracy require more robust procedures for assessing performance of machining centers, as provided within this revision of the B5.54 standard. This Standard does not address issues of machine safety.

This revision was approved by the American National Standards Institute on July 7, 2003 and January 12, 2005.

# ASME B5 STANDARDS COMMITTEE

## Machine Tools — Components, Elements, Performance, and Equipment

(The following is a roster of the Committee at the time of approval of this Standard.)

### OFFICERS

**C. Wax**, *Chair*  
**M. Lo**, *Secretary*

### COMMITTEE PERSONNEL

**A. M. Bratkovich**, The Association for Manufacturing Technology  
**D. M. King**, Consultant  
**K. J. Koroncey**, General Motors  
**D. L. Lewis**, Consultant  
**M. Lo**, The American Society of Mechanical Engineers  
**C. D. Lovett**  
**C. J. Nuccitelli**, Parlec, Inc.  
**J. A. Soons**, NIST, U.S. Department of Commerce  
**R. C. Spooner**, Powerhold, Inc.  
**C. Wax**, CTW Advisors, Inc.

### TECHNICAL COMMITTEE 52 — MACHINING CENTERS

**C. D. Lovett**, *Chair*  
**D. Ajao**, GM, North America  
**A. M. Bailey**, Renishaw, Inc.  
**K. G. Beracz**, Beacon Metrology, Inc.  
**L. Bishop**, Boeing Commercial Airplanes  
**M. Boyd**, Northrup Grumman Corp.  
**A. M. Bratkovich**, The Association for Manufacturing Technology  
**J. B. Bryan**, Bryan Associates  
**R. P. Callaghan**, Independent Quality Laboratories, Inc.  
**J. E. Crane**, Hardinge, Inc.  
**A. Donmez**, NIST, U.S. Department of Commerce  
**J. D. Drescher**, United Technologies, Pratt & Whitney  
**R. Griffin**, Optodyne, Inc.  
**Q. Ma**, Automated Precision, Inc.  
**D. L. Martin**, Lion Precision  
**M. Omari**, GM, North America  
**B. Parry**, Boeing Co.  
**B. B. Seth**, Ford Motor Co.  
**S. C. Shivaswamy**, Cincinnati Machine  
**L. Somerville**, Renishaw, Inc.  
**J. A. Soons**, NIST, U.S. Department of Commerce  
**N. Srinivasan**, Caterpillar, Inc.  
**M. R. Stallings**, Northrup Grumman Marine Systems  
**D. E. Stapley**, S & S Machine Dynamics  
**W. Taylor**, Northrup Grumman Marine Systems  
**C. P. Wang**, Optodyne, Inc.  
**R. Winfough**, Bourn & Koch

## CORRESPONDENCE WITH THE B5 COMMITTEE

**General.** ASME Standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this Standard may interact with the Committee by proposing revisions, and attending Committee meetings. Correspondence should be addressed to:

Secretary, B5 Standards Committee  
The American Society of Mechanical Engineers  
Three Park Avenue  
New York, NY 10016-5990

**Proposing Revisions.** Revisions are made periodically to the Standard to incorporate changes that appear necessary or desirable, as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Standard. Such proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent documentation.

**Attending Committee Meetings.** The B5 Standards Committee regularly holds meetings, which are open to the public. Persons wishing to attend any meeting should contact the Secretary of the B5 Standards Committee.

# METHODS FOR PERFORMANCE EVALUATION OF COMPUTER NUMERICALLY CONTROLLED MACHINING CENTERS

## Chapter 1 Scope

### 1.1 GENERAL

This Standard establishes methodology for specifying and testing the performance of CNC machining centers. In addition to clarifying the performance evaluation, this Standard facilitates performance comparisons between machines by unifying terminology, general machine classification, and the treatment of environmental effects. It provides a series of tests that should be used to perform acceptance testing (runoff) of new and reconditioned machines and could be used to verify continued capability of production machines, already in operation, through periodic testing. The set of acceptance tests and the specification limits for machine conformance shall

be the subject of contractual agreement between the Supplier and the User. This Standard is rather comprehensive; therefore, for smaller and less expensive machines the conformance to specifications could be based on a recommended subset of tests to evaluate machine performance.

### 1.2 PERFORMANCE FORMS

Any performance forms described, as complying with this Standard, shall include at least those items specified in Forms 1.1 through 1.6. Other forms shall be included, depending on the acceptance tests agreed between the Supplier and the User. The form for machining test parts is included in Chapter 8 as Form 8.1.