

ASME NOG-1-2010
(Revision of ASME NOG-1-2004)

Rules for Construction of Overhead and Gantry Cranes (Top Running Bridge, Multiple Girder)

AN AMERICAN NATIONAL STANDARD



Three Park Avenue • New York, NY • 10016 USA

Copyright © 2010 by the American Society of Mechanical Engineers.
No reproduction may be made of this material without written consent of ASME.



INTENTIONALLY LEFT BLANK



ASME NOG-1-2010
(Revision of ASME NOG-1-2004)

Rules for Construction of Overhead and Gantry Cranes (Top Running Bridge, Multiple Girder)

AN AMERICAN NATIONAL STANDARD



Three Park Avenue • New York, NY • 10016 USA

Copyright © 2010 by the American Society of Mechanical Engineers.
No reproduction may be made of this material without written consent of ASME.



Date of Issuance: July 12, 2010

This Standard will be revised when the Society approves the issuance of a new edition. There will be no addenda issued to this edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org> as they are issued. Interpretations will also be included with each edition.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Three Park Avenue, New York, NY 10016-5990

Copyright © 2010 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.



CONTENTS

Foreword	vi
Committee Roster	vii
Preparation of Technical Inquiries to the Committee on Cranes for Nuclear Facilities	viii
Summary of Changes	ix
Section 1000 Introduction	1
1100 General	1
Section 2000 Quality Assurance	11
2100 Requirements	11
Section 3000 Coatings and Finishes	12
3100 Coating Service Levels	12
3200 Specific Requirements for Coating Service Levels	12
Section 4000 Requirements for Structural Components	14
4100 General	14
4200 Materials and Connections	24
4300 Design Criteria	30
4400 Component Design	35
Section 5000 Mechanical	39
5100 General	39
5200 Materials	42
5300 Design and Performance Criteria	42
5400 Component Design	44
5500 Miscellaneous	78
Section 6000 Electrical Components	80
6100 General	80
6200 Wiring Materials and Methods (Types I, II, and III Cranes)	81
6300 Performance Specifications (Types I, II, and III Cranes)	82
6400 Component Selection (Types I, II, and III Cranes)	83
6500 Electrical Equipment Testing Requirements (Types I, II, and III Cranes)	97
Section 7000 Inspection and Testing	98
7100 Tests and Acceptance Criteria	98
7200 Manufacturing	99
7300 Receipt and Storage Requirements for Storage Facility and/or Site	104
7400 Site	105
7500 Qualification for Permanent Plant Service	108
7600 Documentation	110
Section 8000 Packaging, Shipping, Receiving, Storage, and Handling	111
8100 General	111
Section 9000 Planned Engineered Lifts	112
9100 General	112
9200 Capacity Limitations	112
9300 Lift Frequency Limitations	112
9400 Inspection Frequency	112
9500 Planned Engineered Lifts for Bridge or Gantry Only	112
9600 Planned Engineered Lifts for Hoist and Trolley Only	113



9700	Required Interlocks or Stops	113
9800	Load Testing Requirements	113
9900	Crane Wheel Loads	113

Figures

4153.3-1	Typical Four-Wheel Trolley Model for Seismic Analysis	18
4153.3-2	Typical Four-Wheel Overhead Crane Model for Seismic Analysis	18
4153.3-3	Typical Four-Wheel Gantry Crane Model for Seismic Analysis	19
4153.3-4	Typical Four-Wheel Semi-Gantry Crane Model for Seismic Analysis	19
4160-1	Runway Rail Alignment Tolerance	25
5411.5-1	Drum Shell Design	44
5413.1-1	Allowable Yield Stress, s_{ay}	48
5416.1-1	Typical Hoist Machinery Arrangement With Emergency Brake	50
5416.1-2	Typical Hoist Machinery Arrangement With Redundant Gear Reducers and Brakes	51
5416.1-3	Typical Redundant-Hoist Machinery Arrangement	52
5420-1	Single-Failure-Proof Reeving Example	53
5420-2	Single and Double Reeving	54
5426-1	Drum Fleet Angle	56
5426-2	Sheave Fleet Angle	56
5427.1-1	Proportions for 24:1 Sheave-to-Rope Ratio	57
5427.1-2	Proportions for 30:1 Sheave-to-Rope Ratio	58
5430-1	Arrangement of Crane Trolley Drives	59
5440-1	Arrangement of Crane Bridge Drives	61
5440-2	Arrangement of Polar Cranes	62
5452.4-1	Minimum Flange Widths and Heights	65
5459.3-1	Power or Control Circuit Limit Switch With Geared Upper Limit Switch	70
5459.3-2	Power or Control Circuit Limit Switch	71
5474-1	Allowable Bending Stress	72
5474-2	Allowable Tension or Compression Stress	73
5474-3	Allowable Shear Stress	74
5477-1	Typical Hook Cross-Section	75
5477-2	Fish Hook Configuration	76
5477-3	Equivalent Section	77
5477-4	Sister Hook Without a Pinhole	78
5477-5	Sister Hook With a Pinhole	78
6472.2-1	K_a Factors for AC and Adjustable Voltage DC Motors (Without Field Weakening)	92
6472.2-2	Typical Polar Crane	93
6473-1	Typical Characteristic Curves for AC Wound Rotor Motors (Examples for 0.75 Per Unit Horsepower and 20% Total Resistance)	96
7521.2-1	Inspection for Wheel Wear	109

Tables

4153.6-1	Boundary Conditions: Trolley Wheels to Trolley Rails	21
4153.6-2	Boundary Conditions: Bridge Wheels to Crane Runway Rails	21
4211-1	Acceptable Materials and Reference Properties for Structural Components	26
4212-1	Required C_v Energy Values for Structural Materials (Except Bolting)	27
4221-1	Acceptable Fastener Materials for Structural Connections for Types I and II Cranes	27
4221-2	Fastener Materials That May Be Galvanized	28
4222-1	C_v Energy Values for Fastener Materials	28
4232-1	Test Temperature for Filler Metal — Charpy V-Notch Impact Tests With 20 ft-lb Average Energy	29
4251.5-1	Exemptions to Mandatory Postweld Heat Treatment	30
4311-1	Maximum Allowable Stresses in Structural Steel Members	31



4315-1	Allowable Stresses for Bolts Other Than ASTM A 325 or A 490	31
4332.1-1	Value of the Buckling Coefficients, K_{σ} and K_{τ} , for Plates Supported at Their Four Edges	34
5331.1-1	Rated Load Recommended Hoist Speeds	43
5332.1-1	Rated Load Recommended Trolley Speeds	43
5333.1-1	Rated Load Recommended Bridge Speeds	44
5413.1-1	Gearing Allowable Stresses	47
5413.1-2	Load Distribution R Factors	48
5415.1-1	Load Combinations — Hoist Drive Shafting	49
5452.3-1	Allowable Wheel Loads for Rim-Toughened Crane Wheels, P , lb, for Speed Factor = 1	64
5452.3-2	Speed Factor for Determining Allowable Maximum Wheel Load	64
5452.4-1	Guide for Wheel Flange Width and Height	66
5453.1-1	Load Combinations — Bridge and Trolley Axles	66
5454.1-1	Deflections	67
6472.2-1	Overall Friction Factors (Antifriction Bearings)	90
6472.2-2	Suggested Acceleration Rates for AC or AV Travel Drives	91
6472.2-3	Suggested Maximum Acceleration Rates	91
6472.3-1	Duty Classes	94
7210-1	Required Inspections or Tests — Type I	100
7210-2	Required Inspections or Tests — Type II	103
8000-1	Applicable Requirements of ASME NQA-1, Part II, Subpart 2.2, With Modifications of 8000	111
Mandatory Appendix		
I	Additional Requirements	115
Nonmandatory Appendices		
A	Recommended Practices	118
B	Commentary	123
C	NUREG-0554/ASME NOG-1 Conformance Matrix	129



FOREWORD

The Committee on Cranes for Nuclear Power Plants was first established in 1976. In 1980 the name and scope of the Committee were revised from the Committee on Cranes for Nuclear Power Plants to the Committee on Cranes for Nuclear Facilities. This Standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards committee that approved the Standard was balanced to ensure that individuals from competent and concerned interests have had an opportunity to participate.

This Standard or portions thereof can be applied to cranes at facilities other than nuclear, where enhanced crane safety may be required, and can be provided by means of either single-failure-proof features or a seismic design.

Suggestions for improvement as gained in the use of this Standard are welcome. They should be sent to the Secretary, ASME Committee on Cranes for Nuclear Facilities, The American Society of Mechanical Engineers, Three Park Avenue, New York, NY 10016-5990.

The first edition of NOG-1 was approved in 1983, the second in 1989, the third in 1995, the fourth in 1998, and the fifth in 2002. This 2010 edition contains the revisions made since the 2004 edition; most significant of these is the addition of Nonmandatory Appendix C, which indicates where and how ASME NOG-1 conforms to NUREG-0554. ASME NOG-1-2010 received ANSI approval on February 16, 2010.



ASME COMMITTEE ON CRANES FOR NUCLEAR FACILITIES

(The following is the roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

T. V. Vine, *Chair*
B. P. Lytle, *Vice Chair*
M. L. Vazquez, *Secretary*

STANDARDS COMMITTEE PERSONNEL

B. K. Barber , Navy Crane Center	B. P. Lytle , NASA Kennedy Space Center
S. W. Butler , ATK Launch Systems	R. E. McCoy , Bechtel Marine Propulsion, Inc.
M. B. Fitzsimmons , Constellation Energy Group	J. E. Nelson , Ederer Nuclear Cranes
J. N. Fowler , Entergy Nuclear South	S. N. Parkhurst , Material Handling Equipment, Inc.
L. C. Fraser , Northrop Grumman Shipbuilding	R. J. Parler , AREVA
R. D. Hagler , Pacific Gas & Electric Co.	G. A. Townes , Be, Inc.
W. A. Horwath , Whiting Corp.	M. L. Vazquez , The American Society of Mechanical Engineers
S. R. Jones , U.S. Nuclear Regulatory Commission	T. V. Vine , GDF Suez
J. B. Kriner , Beckman & Associates	J. L. Weamer , Bechtel National, Inc.
A. S. Kureck , Magnetek	D. P. Weber , American Crane and Equipment Corp.
S. M. Lawrence , Morris Material Handling	C. A. White , U.S. Department of Energy
R. C. Lindberg , Sargent & Lundy	K. McKeown , <i>Alternate</i> , Magnetek

SUBCOMMITTEE ON OPERATION AND MAINTENANCE FOR CRANES

L. C. Fraser , <i>Chair</i> , Northrop Grumman Shipbuilding	L. D. Jones , NASA Kennedy Space Center
J. Torsani , <i>Chair</i> , NASA Kennedy Space Center	J. Knight , Bechtel Bettis
J. N. Fowler , <i>Vice Chair</i> , Entergy Nuclear South	L. Knight , BC Hydro
R. J. Parler , <i>Vice Chair</i> , AREVA	R. E. McCoy , Bechtel Marine Propulsion, Inc.
B. K. Barber , Navy Crane Center	A. D. Reisner , Lockheed Martin Space Systems Co.
M. B. Fitzsimmons , Constellation Energy Group	T. V. Vine , GDF Suez
J. Griesemer , American Crane & Equipment Corp.	J. L. Weamer , Bechtel National, Inc.
R. D. Hagler , Pacific Gas & Electric Co.	D. P. Weber , American Crane and Equipment Corp.

SUBCOMMITTEE ON ENGINEERING SUPPORT

J. L. Weamer , <i>Chair</i> , Bechtel National, Inc.	L. D. Jones , NASA Kennedy Space Center
J. E. Nelson , <i>Vice Chair</i> , Ederer Nuclear Cranes	J. Knight , Bechtel Bettis
G. A. Townes , <i>Vice Chair</i> , Be, Inc.	J. B. Kriner , Beckman & Associates
S. W. Butler , ATK Launch Systems	K. McKeown , Magnetek
S. W. Coulter , Whiting Corp.	R. D. Moore , NASA Kennedy Space Center
T. Finnegan , Lockheed Martin Space Systems	R. O. Osborn, Jr. , Professional Project Service, Inc.
J. Griesemer , American Crane & Equipment Corp.	D. T. Tang , U.S. Nuclear Regulatory Commission
S. Huffard , Shaw Stone and Webster	A. R. Toth , Morris Material Handling



PREPARATION OF TECHNICAL INQUIRIES TO THE COMMITTEE ON CRANES FOR NUCLEAR FACILITIES

INTRODUCTION

The ASME Committee on Cranes for Nuclear Facilities (CNF) will consider written requests for interpretations and revisions to CNF Standards and develop new requirements if dictated by technological development. The Committee's activities in this regard are limited strictly to interpretations of the requirements or to the consideration of revisions to the present Standard on the basis of new data or technology. As a matter of published policy, ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity and, accordingly, inquiries requiring such consideration will be returned. Moreover, ASME does not act as a consultant on specific engineering problems or on the general application or understanding of the Standard requirements. If, based on the inquiry information submitted, it is the opinion of the Committee that the inquirer should seek assistance, the inquiry will be returned with the recommendation that such assistance be obtained.

All inquiries that do not provide the information needed for the Committee's full understanding will be returned.

INQUIRY FORMAT

Inquiries shall be limited strictly to interpretations of the requirements or to the consideration of revisions to the present Standard on the basis of new data or technology.

Inquiries shall be submitted in the following format:

(a) *Scope.* The inquiry shall involve a single requirement or closely related requirements. An inquiry letter concerning unrelated subjects will be returned.

(b) *Background.* State the purpose of the inquiry, which would be either to obtain an interpretation of the Standard or to propose consideration of a revision to the present Standard. Provide concisely the information needed for the Committee's understanding of the inquiry, being sure to include reference to the applicable Standard, Edition, Requirements, Parts, Subparts, Appendices, paragraphs, figures, and tables. If sketches are provided, they shall be limited to the scope of the inquiry.

(c) *Inquiry Structure*

(1) *Proposed Question(s).* The inquiry shall be stated in a condensed and precise question format, omitting superfluous background information and, where appropriate, composed in such a way that "yes" or "no" (perhaps with provisos) would be an acceptable reply. The inquiry statement should be technically and editorially correct.

(2) *Proposed Reply(ies).* State what it is believed that the Standard requires. If, in the inquirer's opinion, a revision to the Standard is needed, recommended wording shall be provided.

(d) *Submittal.* The inquiry shall be submitted in typewritten form; however, legible, handwritten inquiries will be considered. It shall include the name, mailing address, and telephone number of the inquirer and be mailed to the following address:

Secretary
ASME Committee on Cranes for Nuclear
Facilities
Nuclear Department
Three Park Avenue
New York, NY 10016

