

IEEE Standard Criteria for Class 1E Power Systems for Nuclear Power Generating Stations

IEEE Power and Energy Society

Sponsored by the
Nuclear Power Engineering Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 308™-2012
(Revision of
IEEE Std 308-2001)

16 January 2013

IEEE Std 308™-2012

(Revision of
IEEE Std 308-2001)

IEEE Standard Criteria for Class 1E Power Systems for Nuclear Power Generating Stations

Sponsor

**Nuclear Power Engineering Committee
of the
IEEE Power and Energy Society**

Approved 5 December 2012

IEEE-SA Standards Board

Abstract: Class 1E portions of ac and dc power systems and I&C power systems in single-unit and multiunit nuclear power generating stations are covered in this standard. The provision of criteria for the determination of Class 1E power system design features, criteria for sharing Class 1E power systems in multiunit stations, the requirements for their testing and surveillance, and the requirements for documentation of the Class 1E power system is the intent of this standard.

Keywords: Class 1E power systems, IEEE 308, nuclear power station design, nuclear safety

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2013 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 16 January 2013. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-8120-2 STD98081
Print: ISBN 978-0-7381-8121-9 STDPD98081

IEEE prohibits discrimination, harassment, and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Notice and Disclaimer of Liability Concerning the Use of IEEE Documents: IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon any IEEE Standard document.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Translations: The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official Statements: A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on Standards: Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important to ensure that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. Any person who would like to participate in evaluating comments or revisions to an IEEE standard is welcome to join the relevant IEEE working group at <http://standards.ieee.org/develop/wg/>.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Photocopies: Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Notice to users

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://standards.ieee.org/index.html> or contact the IEEE at the address listed previously. For more information about the IEEE Standards Association or the IEEE standards development process, visit IEEE-SA Website at <http://standards.ieee.org/index.html>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE standard was completed, the Auxiliary Power Subcommittee Working Group had the following membership:

Kuljit Hara, *Chair*
Robert Fletcher, *Vice Chair*

George Attarian
Mark Bowman
Keith Bush
Robert Carruth
Kyle Chang

Paul Colaianni
Parthiv Desai
John Disosway
Dale Goodney
Paul Johnson
Hari Kodali

Bruce Lord
Kenn Miller
William Mindick
Bill Snider
Sudhir Thakur

The Subcommittee on Auxiliary Power (SC4) of the Nuclear Power Engineering Committee that recommended approval of this draft standard had the following membership:

Dale Goodney, *Chair*
David Gladey, *Vice Chair*

George Attarian
John Bonner
Mark Bowman
Duane Brock
Keith Bush
Robert Carruth
Jack Carter
Richard Casalaina
Om Chopra
Paul Colaianni
Parthiv Desai
John Disosway
Ken Fleischer
Robert Fletcher

Brian Gardes
Kuljit Hara
Evans Heacock
Dirk Hopp
Paul Johnson
Hari Kodali
Edvin Kozo
Joe Kravac
Harvey Leake
Bruce Lord
Roy Lyon
John MacDonald
John Mallanda
Kenneth Miller

Liliana Ramadan
Gregg Reimers
Bill Roettger
Myat San
David Sehi
Shawn Simon
Thomas Sims
William Snider
Robert Stark
Sudhir Thakur
James Thompson
Michael Tucker
Edward Wenzinger
Tamatha Womack

At the time this draft was submitted to the IEEE-SA Standards board for approval, the Nuclear Power Engineering Committee (NPEC) had the following membership:

Satish Aggarwal, Chair
George Ballassi, Vice Chair

Ijaz Ahmad
Dheya Al-Othmany
George Attarian
Farouk D. Baxter*
Royce Beacom
Mark D. Bowman
Daniel F. Brosnan
Nissen M. Burstein
Keith Bush
Robert C. Carruth
John P. Carter
Suresh Channarasappa
Dennis Dellinger
David R. Desaulniers
John Disosway
Walter F. Emerson
Stephen Fleger
Robert J. Fletcher
Robert Francis

Robert B. Fuld
David Gladey
James F. Gleason
Dale T. Goodney
Robert Hall
Kuljit Hara
Daryl Harmon
Dirk C. Hopp
David A. Horvath
Paul R. Johnson
Christopher Kerr
Bok-Ryul Kim
Thomas Koshy
James K. Liming
John D. Macdonald
J. Scott Malcolm
Alexander Marion*
Michael H. Miller

Edward R. Mohtashemi
Yasushi Nakagawa
James Parello
Julius Persensky*
Ted Riccio
Mark F. Santschi
Glen E. Schinzel
Zdenko Simic
James E. Stoner, Jr.*
Marek Tengler
James E. Thomas
Masafumi Utsumi
Michael Waterman
Edward Wenzinger
John White
Paul L. Yanosy, Sr.
Won Young Yun
David J. Zaprazny
Oon-Pyo Zhu

*Non-voting member

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

William Ackerman
Satish Aggarwal
Ali Al Awazi
Curtis Ashton
George Attarian
Farouk Baxter
Robert Beavers
William Bloethe
John Bonner
Mark Bowman
Duane Brock
Daniel Brosnan
Gustavo Brunello
Nissen Burstein
Keith Bush
William Bush
William Byrd
William Cantor
Robert Carruth
Larry Carson
Leonard Casella
Kyle Chang
Suresh Channarasappa
Weijen Chen
Keith Chow
Mark Clark
Donald Colaberardino
Preston Cooper

Tom Crawford
Matthew Davis
Dennis Dellinger
John Disosway
Ernest Duckworth
Wells Fargo
Stephen Fleger
Robert Fletcher
Robert Fuld
David Gilmer
James Gleason
Dale Goodney
Randall Groves
Kuljit Hara
Daryl Harmon
Hamidreza Heidarisaifa
Werner Hoelzl
David Horvath
Greg Hostetter
Peter Hung
Paul Johnson
Wayne Johnson
Yuri Khersonsky
Robert Konnik
Jim Kulchisky
G Lang
Michael Lauxman
Albert Livshitz

Bruce Lord
Greg Luri
John Macdonald
John Merando
Haissam Nasrat
Michael S. Newman
Mirko Palazzo
Bansi Patel
Jan Pirrong
Jan Reber
Ted Riccio
Michael Roberts
Bartien Sayogo
Glen Schinzel
Christo Searles
Gil Shultz
David Smith
James Smith
Robert Stark
Rebecca Steinman
Gary Stoedter
James Timperley
Demetrios Tziouvaras
John Vergis
Kenneth White
James Wilson
Tamatha Womack
Larry Yonce

When the IEEE-SA Standards Board approved this standard on 5 December 2012, it had the following membership:

Richard H. Hulett, *Chair*
John Kulick, *Vice Chair*
Robert M. Grow, *Past Chair*
Konstantinos Karachalios, *Secretary*

Satish Aggarwal
Masayuki Ariyoshi
Peter Balma
William Bartley
Ted Burse
Clint Chaplin
Wael Diab
Jean-Philippe Faure

Alexander Gelman
Paul Houzé
Jim Hughes
Joseph L. Koepfinger*
David J. Law
Thomas Lee
Hung Ling
Oleg Logvinov

Ted Olsen
Gary Robinson
Jon Walter Rosdahl
Sam Sciacca
Mike Seavey
Yatin Trivedi
Phil Winston
Don Wright

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Patrick Gibbons
IEEE Standards Program Manager, Document Development

Malia Zaman
IEEE Standards Program Manager, Technical Program Development

Introduction

This introduction is not part of IEEE Std 308™-2012, IEEE Standard for Class 1E Power Systems for Nuclear Power Generating Stations.

This standard presents criteria and requirements for the electrical power systems of nuclear power generating stations specifically related to providing protection for the health and safety of the public. IEEE has developed these criteria to provide guidance in the determination of the design features and the surveillance requirements and testing related to the station electric power systems. Each applicant for a construction permit or an operating license for a nuclear power generating station in the United States is required to develop these items to comply with the Title 10, Code of Federal Regulations, Part 50. Adherence to these criteria may not suffice for assuring public health and safety because it is the integrated performance of the structures, the fluid systems, the instrumentation, and the electric systems of the station that limits the consequences of accidents. Failure to meet these requirements may be an indication of system inadequacy. Each applicant has the responsibility to assure all applicable parties that this integrated performance is adequate.

Background

IEEE Std 308-1970^{a,b} was prepared by Subcommittee 4, Auxiliary Power Systems of the Joint Committee on Nuclear Power Standards (JCNPS) of the IEEE Nuclear Science Group and the IEEE Power Engineering Society (PES). IEEE Std 308-1971 incorporated the experience of the first edition and added multiunit considerations. IEEE Std 308-1974 was completed by Working Group 4.1 of Subcommittee 4 of JCNPS, which had become the Nuclear Power Engineering Committee (NPEC) of the PES in 1973. IEEE Std 308-1978 clarified the interface between the functional requirements of the Class 1E power system and the safety systems for elements of the safety system that are within the Class 1E power system. IEEE Std 308-1980 implemented the recommendations of the Ad Hoc IEEE 308/603 Committee regarding the scope diagram for the IEEE Std 308 and IEEE Std 603™ interface. IEEE Std 308-1991 added criteria for interfacing the Class 1E power system with IEEE Std 765™-1983, IEEE Standard for the Preferred Power Supply for Nuclear Power Generating Stations, and IEEE Std 741™-1990, IEEE Standard Criteria for the Protection of Class 1E Power Systems and Equipment in Nuclear Power Generating Stations. The standard was also updated to reflect the latest requirements of IEEE Std 387™-1984, IEEE Standard Criteria for Diesel-Generator Units Applied as Standby Power Supplies for Nuclear Power Generating Stations; IEEE Std 946™-1985, IEEE Recommended Practice for the Design of Safety-Related DC Auxiliary Power Systems for Nuclear Power Generating Stations; and the recommendations of the NPEC Ad Hoc Committee on Shared Safety Systems. These recommendations resulted in a complete rewrite of the multiunit station considerations clause.

IEEE Std 308-2001 added criteria for design and testing documentation of Class 1E power systems, including verification and validation. The standard added to the criteria for power quality to include potential effects of harmonic distortion and degraded grid conditions. A general update to correct references and to address comments since the standard was last revised was also performed.

^aInformation on references can be found in Clause 2.

^bIEEE publications are available from The Institute of Electrical and Electronics Engineers, 445 Hoes Lane, Piscataway, NJ 08854, USA (<http://standards.ieee.org/>).

Safety function concept

A safety system, by definition, shall encompass all of the elements required to achieve a protective or safety function. Figure 1, Figure 2, and Figure 3 illustrate the systems and equipment needed to perform a typical safety function, such as post-accident heat removal. As part of the safety system, the role of the Class 1E power system is clearly that of an auxiliary supporting feature, providing electric power to other safety systems (e.g., recirculation spray system, containment spray system, etc.). In this capacity, the portions of the Class 1E power system that contribute to performing a safety function must comply with the requirements of IEEE Std 603. However, the components, equipment, and systems within the Class 1E power system that perform no direct safety function (e.g., overload devices, protective relaying, etc.) must meet the requirements in IEEE Std 603 that assure that those components, equipment, and systems do not degrade the Class 1E power system below an acceptable level.

Major role of Class 1E power system

The major role of the Class 1E power system is to provide electric power to the reactor trip system, engineered safety features, and auxiliary supporting features; therefore, the Class 1E power system is an auxiliary supporting feature.

The Class 1E power system is unique in that it extends throughout the plant, having far more complex interfaces than other auxiliary supporting features. Other auxiliary supporting features are usually limited to one area or a single process in the plant and are basically mechanical systems. Characteristic of the complex interfaces of the Class 1E power system is the fact that it is an auxiliary supporting feature; other auxiliary features are auxiliary supporting features for it, and the Class 1E power system may provide support for nonsafety system equipment and provide the means for the execution of the safety system protective actions.

The sense and command features include equipment that produces signals (e.g., current transformer, voltage transformer, etc.), measures electric system parameters (e.g., voltage, current, watts, etc.), or functions to limit degradation effects (e.g., protective relaying, thermal overloads, undervoltage relays, etc.). The sense and command features of the Class 1E power system that directly perform a safety function shall comply with the requirements of IEEE Std 603. Sense and command features of the Class 1E power system that do not have a direct safety function must be analyzed to show that their failure will have no unacceptable effects on the Class 1E power system.

In their execute features role, some Class 1E power system equipment, switchgear, circuit breakers, power cabling, and loads (primarily motors) are not only part of the Class 1E power system, but are also integral parts of the engineering safety features.

Current revision

The guidance provided in this standard was developed for nuclear plant designs that generally have two 100% capacity divisions of Class 1E loads and use diesel generators for standby ac power. Newer plant designs that are currently being licensed differ from earlier designs in that they typically include either three or four divisions of Class 1E loads, with each division consisting of either 50% or 100% capacity systems allowing for an entire division to be out of service for maintenance, testing, or repairs without entering a Technical Specification Limited Condition for Operation. Also, improvements in mechanical equipment and system design have allowed for the substitution of gas turbine generators for diesel generators in some designs. The further innovation of passive reactor designs uses forces of nature such as fluid density differences and heat transfer to create natural circulation cooling on a scale sufficient to replace large active components for accident and operational event response, thus eliminating the need for Class 1E ac generators. The Class 1E dc systems in these passive reactor designs supply power for indication and monitoring as well as the traditional functions of control and breaker operations, but are relied on for 24 h to 72 h as opposed to the typical 2-h discharge duty in earlier designs. Because of these extended duty cycles, batteries for passive reactor designs have qualification requirements beyond those normally encountered for Class 1E batteries with 2-h discharge duty cycles. The user is cautioned to refer to IEEE Std 535TM for the proper guidance on qualification of batteries and to refer to IEEE Std 485TM for the proper guidance on sizing large lead-acid storage batteries in passive reactor applications.

The working group reviewed IEEE Std 308-2001 and determined that no significant changes were required for application to newer plant designs. Several minor changes have been made, tables have been relocated and figures relocated and modified to broaden the document so that its use is compatible with newer as well as older designs. Diesel generator is replaced with standby power supply throughout the standard to allow for prime movers other than diesel engines. The requirement to have a Class 1E ac power system is removed for passive reactor designs that use natural forces to respond to accidents and operational events instead of using large ac equipment. Recognizing the importance of batteries to passive reactor designs during event response with loss of offsite power, a requirement was added to provide for reliable permanent or temporary power to reenergize battery chargers prior to the end of the battery discharge cycles.

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	2
2. Normative references.....	2
3. Definitions	3
4. Principal design criteria	6
4.1 General	6
4.2 Relationship between the safety system and Class 1E power system.....	6
4.3 Design basis event effects.....	7
4.4 Design basis.....	10
4.5 Power Quality	10
4.6 Location of indicators and control	11
4.7 Identification.....	11
4.8 Independence	11
4.9 Equipment qualification.....	11
4.10 Single-failure criterion.....	11
4.11 Connection of non-Class 1E circuits	12
4.12 Control of access	12
4.13 Circuits that penetrate containment	12
4.14 Protection.....	12
5. Supplementary design criteria	12
5.1 Class 1E power systems.....	12
5.2 AC power systems	14
5.3 DC power systems	16
5.4 I&C power systems	19
5.5 Execute features.....	21
5.6 Sense and command features.....	22
6. Surveillance and test requirements	22
6.1 Surveillance methods.....	22
6.2 Preoperational equipment tests and inspections.....	24
6.3 Preoperational system test	24
6.4 Periodic tests.....	24
7. Multiunit station considerations	25
7.1 Criteria.....	25
7.2 Standby power supply capacity	25
7.3 Battery supply.....	25
8. Documentation	26
8.1 Design documentation records	26
8.2 Verification and validation	26
8.3 Test records	27

IEEE Standard Criteria for Class 1E Power Systems for Nuclear Power Generating Stations

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This standard applies to the Class 1E portions of the following systems and equipment in single-unit and multiunit nuclear power generating stations:

- AC power systems
- DC power systems
- Instrumentation and control (I&C) power systems

This standard does not apply to the preferred power supply; the unit generators and their buses; generator breaker; step-up, auxiliary, and start-up transformers; connections to the station switchyard; switchyard; transmission lines; and the transmission network (see Figure 2 and Figure 3).