

ACI 437R-19

Strength Evaluation of Existing Concrete Buildings

Reported by ACI Committee 437



American Concrete Institute
Always advancing



Strength Evaluation of Existing Concrete Buildings

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at <http://concrete.org/Publications/DocumentErrata.aspx>. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information: ACI documents are available in print, by download, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised the ACI Collection of Concrete Codes, Specifications, and Practices.

American Concrete Institute
38800 Country Club Drive
Farmington Hills, MI 48331
Phone: +1.248.848.3700
Fax: +1.248.848.3701

www.concrete.org

Strength Evaluation of Existing Concrete Buildings

Reported by ACI Committee 437

Paul H. Ziehl*, Chair

Aaron K. Larosche*, Secretary

Nicholas J. Carino*
Paolo Casadei
John A. Frauenhoffer*
Nestore Galati*
Zareh B. Gregorian

Pawan R. Gupta
Frederick D. Heidbrink*
Jason S. Johnson*
Ashok M. Kakade
Danielle D. Kleinhans

Andrew T. Krauklis
Carl J. Larosche*
Daniel J. McCarthy*
Antonio Nanni*
Thomas E. Nehil

K. Nam Shiu
J. Gustavo Tumialan*
Jeffrey S. West

Consulting Members

Marco Arduini

Grant T. Halvorsen

Habib M. Zeim Alabideen

*Members of the committee who prepared this report.

The strength of existing concrete buildings and structures can be evaluated analytically and supplemented where necessary with load testing. The recommendations in this report indicate when such an evaluation may be needed, establish criteria for selecting the evaluation method, and indicate the data and background information necessary for an evaluation. Methods of determining material properties used in the analytical and load test investigations are described in detail. Analytical investigations should follow the principles of strength design. Working stress analysis can supplement the analytical investigations by relating the actual state of stress in structural components to the observed conditions.

Keywords: cracking; deflection; deformation; deterioration; gravity load; load; load test; reinforced concrete; strength; strength evaluation; test.

CONTENTS

CHAPTER 1—INTRODUCTION AND SCOPE, p. 2

1.1—Introduction, p. 2

1.2—Scope, p. 2

ACI Committee Reports, Guides, and Commentaries are intended for guidance in planning, designing, executing, and inspecting construction. This document is intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. The American Concrete Institute disclaims any and all responsibility for the stated principles. The Institute shall not be liable for any loss or damage arising therefrom.

Reference to this document shall not be made in contract documents. If items found in this document are desired by the Architect/Engineer to be a part of the contract documents, they shall be restated in mandatory language for incorporation by the Architect/Engineer.

CHAPTER 2—DEFINITIONS, p. 3

CHAPTER 3—PRELIMINARY INVESTIGATION, p. 3

3.1—Review of existing information, p. 3

3.2—Condition survey of structure, p. 4

CHAPTER 4—METHODS FOR MATERIAL EVALUATION, p. 11

4.1—Concrete, p. 11

4.2—Reinforcing steel, p. 15

4.3—Fiber-reinforced polymer reinforcement systems, p. 16

CHAPTER 5—ASSESSMENT OF LOADING CONDITIONS AND SELECTION OF EVALUATION METHOD, p. 17

5.1—Assessment of loading and environmental conditions, p. 17

5.2—Selecting the proper method of evaluation, p. 18

CHAPTER 6—EVALUATION AND INTERPRETATION OF RESULTS, p. 19

6.1—Analytical evaluation, p. 19

6.2—Supplementing the analytical evaluation with load tests, p. 20

CHAPTER 7—REFERENCES, p. 24

Authored documents, p. 25

ACI 437R-19 supersedes 437R-03 and was adopted and published May 2019.

Copyright © 2019, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

CHAPTER 1—INTRODUCTION AND SCOPE

1.1—Introduction

This report defines the process of structural evaluation to determine the structural adequacy of existing concrete structures as defined by [ACI 562](#). The procedures can be applied generally to new concrete structures, provided that appropriate evaluation criteria are agreed upon before the start of the investigation. This report covers structural concrete, including conventionally reinforced cast-in-place concrete, precast-prestressed concrete, precast post-tensioned concrete, and post-tensioned cast-in-place concrete.

1.2—Scope

1.2.1 Background and limitations—Engineering judgment based on rational, scientific principles is critical in the strength evaluation of concrete structures. Such judgment of a qualified licensed design professional is needed for proper application of relevant code provisions to the case being studied. An assessment of structural safety can be achieved with the information and data from field investigations, scientific computations based on sound principles, as well as subjective engineering judgment from the licensed design professional. This is particularly true for structures deteriorated from prolonged exposure to the environment or damaged in an extreme event, such as a fire, earthquake, or explosion.

Similarly, there are no generally recognized criteria for evaluating serviceability of an existing concrete structure. Such evaluation requires engineering judgment based on scientific principles, and close consultation with the owner regarding the intended use of the structure and expected level of performance.

[ACI 562](#) discusses potential conclusions resulting from a strength evaluation; however, the determination of one or more of the following conclusions regarding the integrity of a concrete structure is possible from a strength evaluation:

- a) The structure or structural element has an adequate margin of safety according to the provisions of the applicable building code.
- b) The strength determined by evaluation is less than that required for factored loads but greater than required for service loads (load factors equal to or greater than 1.0 for all load cases). In this case, the structure or structural element is not adequate. In some cases, restricted use of the structure that limits the applied loads in recognition of the computed strength may be permitted.
- c) The design strength of the structure is less than required for service loads under the applicable building code. In such cases, the owner should be notified and consideration given to the installation of shoring, severe restriction of use, or evacuation of the structure until remedial work can be done.

1.2.2 Applications—The procedures recommended in this report apply to strength evaluation of existing concrete buildings or other structures, including the following circumstances:

- a) Structures that show damage from excess or improper loading, explosions, vibrations, fire, or other causes
- b) Structures where there is evidence of deterioration or structural weakness, such as excessive cracking or spalling

of the concrete, reinforcing bar corrosion, excessive member deflection or rotation, or other signs of distress

- c) Structures that are suspected of not satisfying building code requirements in terms of design, materials, or construction
- d) Structures where there is doubt as to the structural adequacy and the original design criteria are not known
- e) Structures undergoing expansion or a change in use or occupancy and where the new design criteria exceed the original design criteria
- f) Structures that require performance testing following remediation (repair or strengthening)
- g) Structures that require testing by order of the building official

1.2.3 Exceptions—This report does not address the following conditions:

- a) Performance testing of structures with unusual design concepts
- b) Product development testing where load tests are carried out for quality control or approval of mass-produced elements
- c) Evaluation of soil conditions
- d) Load assessment for strength evaluation of environmental engineering concrete structures (refer to [ACI 350](#) for additional information)
- e) Liquefied gas containment structures (refer to [ACI 376](#) for additional information)

1.2.4 Categories of structural evaluation—There are numerous different characteristics or levels of performance of an existing concrete structure that can be evaluated. These include:

- a) Stability of the entire structure
- b) Stability of individual components of the structure
- c) Strength and safety of individual structural elements
- d) Stiffness of the entire structure
- e) Stiffness of individual structural elements
- f) Susceptibility of individual structural elements to excessive long-term deformation
- g) Dynamic response of individual structural elements
- h) Fire resistance of the structure
- i) Serviceability of the structure
- j) Durability of the structure

This report deals with the evaluation of an existing concrete structure for stability, strength, and safety. Although not intended to be an in-depth review of durability, this report addresses durability-related aspects and notes significant features that could compromise structural performance, either at the time of the investigation or later.

1.2.5 Procedure for a strength evaluation—Most strength evaluations have many basic steps in common. Each evaluation, however, should address the unique characteristics of the structure in question and the specific concerns that have arisen regarding its structural integrity. Generally, the evaluation will consist of:

- a) Defining the existing condition of the structure, including:
 - i. Reviewing available information
 - ii. Conducting a condition survey
 - iii. Determining the cause and rate of progression of existing distress