

AGA Report No. 4A

Natural Gas Contract Measurement and Quality Clauses

**Sponsored by
Transmission Measurement Committee**



**Copyright © 2021 American Gas Association
All Rights Reserved**

Catalog No. XQ2102

DISCLAIMER AND COPYRIGHT

The American Gas Association's (AGA) Operations and Engineering Section provides a forum for industry experts to bring collective knowledge together to improve the state of the art in the areas of operating, engineering and technological aspects of producing, gathering, transporting, storing, distributing, measuring and utilizing natural gas.

Through its publications, of which this is one, AGA provides for the exchange of information within the gas industry and scientific, trade and governmental organizations. Each publication is prepared or sponsored by an AGA Operations and Engineering Section technical committee. While AGA may administer the process, neither AGA nor the technical committee independently tests, evaluates or verifies the accuracy of any information or the soundness of any judgments contained therein.

AGA disclaims liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, and use of or reliance on AGA publications. AGA makes no guaranty or warranty as to the accuracy and completeness of any information published therein. The information contained therein is provided on an "as is" basis and AGA makes no representations or warranties including any expressed or implied warranty of merchantability or fitness for a particular purpose.

In issuing and making this document available, AGA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is AGA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

AGA has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does AGA list, certify, test or inspect products, designs or installations for compliance with this document. Any certification or other statement of compliance is solely the responsibility of the certifier or maker of the statement. Any reference to trade names or specific commercial products, methods, commodities or services in this document does not represent or constitute an endorsement, recommendation or favoring nor disapproval, disparage or disfavoring by AGA or any other person of the specific commercial product, commodity or service.

AGA does not take any position with respect to the validity of any patent rights asserted in connection with any items that are mentioned in or are the subject of AGA publications, and AGA disclaims liability for the infringement of any patent resulting from the use of or reliance on its publications. Users of these publications are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Users of this publication should consult applicable federal, state and local laws and regulations. AGA does not, through its publications intend to urge action that is not in compliance with applicable laws, and its publications may not be construed as doing so.

Changes to this report may become necessary from time to time. If changes to this report are believed appropriate by any manufacturer, individual or organization, such suggested changes should be communicated to AGA by completing the last page of this report titled, "**Form for Proposal on AGA Report No. 4A**" and sending it to **Operations & Engineering Section, American Gas Association, 400 North Capitol Street, NW, 4th Floor, Washington, DC 20001, U.S.A.**

Copyright □ **2021, American Gas Association, All Rights Reserved.**

FOREWORD

The history of natural gas supply, transportation and utilization in the United States has been marked by several cycles of change related to increased demand for fuel gases and development of new and diverse gas sources. Gas quality considerations figure prominently in the adaptability of the industry to such changes since the variability of natural gas and its associated constituents affects all industry sectors from wellhead to burner tip. In addition, regulatory drivers associated with the evolution of open access to and unbundling of pipelines resulted in the need for enhanced gas quality and measurement specifications contained within pipeline tariffs. This document results from the collaborative efforts of a team of industry experts and represents the most up-to-date compilation of gas quality and measurement considerations for inclusion in gas contracts and pipeline tariffs.

Prior to 1945 most of the fuel gases throughout North America were produced locally or manufactured from coal specifically for a given geographic area. Over the next several decades, new sources of natural gas were discovered, and a vast network of interstate/intrastate pipelines, currently known as the “pipeline grid,” was constructed to deliver new supplies to the marketplace. As the pipeline grid expanded to criss-cross the North American continent, most local gas manufacturing ceased, and the demand for natural gas delivered by interstate/intrastate pipelines increased dramatically. The gas from new sources of supplies with varying composition did not affect the gas transmission and distribution systems. However, the composition of the new gas supplies had the potential to adversely affect the utilization of the gas. To avoid this adverse effect at the burner tip, research programs were undertaken to develop equations/indices to determine the interchangeability of various gas compositions.

During the later decades of the 20th century, variability of supply sources and associated gas compositions continued to increase resulting in widespread industry recognition of the need for gas quality evaluation criteria. Some industry sectors proposed standardization of gas quality and imposition of specific constituent limits as well as composition-dependent parameters, such as heating value, interchangeability indices, etc. However, the broader industry consensus was that such constraints would be overly restrictive and would exclude supplies that could otherwise be made interchangeable by pipeline aggregation and consequential blending upstream of market deliveries. The first version of AGA Report 4A was published in 1971 to identify specific criteria for contracts or tariffs related to custody transfer measurement and gas quality specifications.

Beginning in the 1980s and culminating with the Federal Energy Regulatory Commission (FERC) Order No. 636, the interstate pipeline grid transitioned from an operational model in which gas pipelines were merchants, with the pipelines contracting for gas supplies with producers and reselling the gas downstream pursuant to regulated tariffs. Under the new model, interstate pipelines became open-access transporters of natural gas that is owned by third parties. This transition is commonly referred to as the *restructuring of the gas industry*. Also, under this new model, gas supply contracts between producers and interstate pipelines were eliminated and replaced by gas supply contracts between producers and wholesalers or end users, often referred to as “unbundling” of the pipelines. As a result of increased gas supply options for wholesalers and end users, variations in natural gas compositions on pipelines increased and the pipeline grid

became more interconnected. The enhanced integrated nature of the pipelines coupled with a wider variety of supplies entering the system via open access raised the importance of considering gas quality specifications within pipeline tariffs.

Gas supply compositions were relatively stable within the major interstate pipelines and larger US markets through the 1980s and early 1990s, even though gas quality differed from region to region. During that time, gas quality management issues were largely limited to those local distribution companies (LDCs) that were located in areas with variable gas sources, such as local production and processing, refinery, imported liquefied natural gas (LNG) and various other local sources. Gas quality issues again confronted the US gas industry at the national level when demand increased in the 1990s and 2000s due to a convergence of factors, including the environmental advantages of natural gas-fired electricity generation and other end-use applications. North America was faced with the challenge of satisfying higher demand with greater volumes from non-traditional gas sources, such as coal bed methane, LNG imports, renewable gases, etc.

In 2004, the Natural Gas Council (NGC) convened two teams of technical experts from across the natural gas value chain, referred to as NGC+, to address gas quality issues related to gas interchangeability and hydrocarbon liquid drop out in pipeline systems. Each technical group published its findings and recommendations in a white paper that was presented to FERC in February 2005¹. The “White Paper on Natural Gas Interchangeability and Non-Combustion End Use” included interim guidelines for gas interchangeability that were derived primarily from the interchangeability index calculations for gas appliances and from the constituent limits of modern gas turbine power-generation equipment. The white paper also included recommendations for additional research to resolve outstanding technical issues.

In June 2006, FERC issued a policy statement² that supported the collaborative technical review conducted under the NGC+ that outlined five basic principles for interstate pipelines and their customers when considering gas quality specifications:

- **Only natural gas quality specifications contained in a FERC-approved tariff can be enforced.**
- **Specifications must be flexible and allow pipelines to balance safety and maximize supply.**
- **Specifications must be based on science, and negotiations must involve all interested parties.**
- **The NGC+ Interim Guidelines should serve as a common technical reference point for resolving issues.**
- **Disputes will be resolved in FERC proceedings with significant weight given to the NGC+ Interim Guidelines.**

An industry team was assembled at that time to incorporate changes to AGA Report 4A considering the NGC+ white papers and the FERC Policy Statement², as well as other industry

¹ White Paper on Liquid Hydrocarbon Drop Out in Natural Gas Infrastructure, NGC+ Liquid Hydrocarbon Drop Out Task Group and White Paper on Natural Gas Interchangeability and Non-Combustion End Use, NGC+ Interchangeability Work Group, February 28, 2005.

² Specific information and industry comments regarding the FERC Policy Statement may be found on the FERC web site in Docket No. PL04-03 at www.ferc.gov.

developments, such as the US Department of Transportation's (DOT) pipeline integrity management regulations and industry advances in measurement technologies.

As we have moved into the 21st century, there has been environmental movements to reduce the amount of pollution that enters the soil, water and air by using alternative energy sources and avoiding the burning of fossil fuels, recycling and reducing waste. Part of this movement includes the use of Renewable Natural Gas (RNG) received into pipeline facilities from landfills, dairies or water and sewage treatment plants. This has prompted many States and gas companies to develop or revise gas quality tariffs to account for the many new constituents found in RNG and not found in geologic natural gas as well as methods to test for them and led to the need for current revision of AGA Report 4A.

ACKNOWLEDGEMENTS

AGA Report No. 4A, ***Natural Gas Contract Measurement and Quality Clauses***, was revised by a Task Group comprised of volunteers from all sectors of the natural gas industry, under the sponsorship of American Gas Association's Transmission Measurement Committee. The task group was chaired by Ilia Bluvshstein with CRWall, and co-chaired by Ardis Bartle with Apex Measurement, whose hard work and substantive contributions to this revision are recognized with great appreciation.

Individuals who made considerable contributions to the revision of this document and are also being especially acknowledged:

<u>Name</u>	<u>Company</u>
Ron Castle	Southwest Gas
Kerry Checkwitch	Enbridge
Karen Crippen	GTI
Mike Demcoe	Aveva Group
William Haddad	Honeywell
Melissa Mauro	National Grid
Dannie Mercer	Atmos Energy
Ryan Nutter	Dominion Gas
Hank Poellnitz	Kinder Morgan
Swaran Sandhawalía	TC Energy
Jim Witte	TC Energy
Bart Wojas	Consolidated Analytical Systems

Other individuals who contributed to AGA-4A revision:

<u>Name</u>	<u>Company</u>
Belinda Bell	Southern Star Central Pipeline
A. Christopher Burton	Baltimore Gas and Electric
Rudy Fernandez	Southern California Gas Company
Michael Fouts	Dominion Energy Transmission
John Hand	TC Energy
Randy Herman	Quorum Business Solutions
Eric Lemmon	NIST
Sam Miller	Endress+Hauser
Daniel Peace	Xylem - Sensus
Reese Platzer	Enterprise Products
Matt Robbins	Kansas Gas Service

(The above individuals were members of the AGA-4A task group or provided comments on the ballot AGA-4A).

TABLE OF CONTENTS

DISCLAIMER AND COPYRIGHT	II
FOREWORD	III
ACKNOWLEDGEMENTS.....	VI
1 PURPOSE AND SCOPE.....	1
2 TERMINOLOGY AND DEFINITIONS	1
2.1 Terminology	1
2.2 Definitions.....	1
3 GAS MEASUREMENT AND ANALYSIS CONSIDERATIONS	16
3.1 Contract Base Conditions	16
3.2 Gas Measurement.....	17
3.2.1 Volume and Mass Measurement.....	17
3.2.2 Temperature Measurement.....	17
3.2.3 Pressure Measurement.....	18
3.2.4 Energy Measurement.....	18
3.3 Gas Analysis, Standard Methods & References.....	19
4 GAS QUALITY CONSIDERATIONS AND POTENTIAL IMPACTS.....	19
4.1 Constituents and Chemical Properties of Natural Gas, Biogas, and Renewable Natural Gas.....	20
4.1.1 Hydrocarbons.....	20
4.1.2 Water Vapor.....	20
4.1.3 Sulfur Compounds	21
4.1.4 Inerts and Diluents	23
4.1.5 Oxygen.....	24
4.1.6 Carbon Dioxide	24
4.1.7 Nitrogen	25
4.1.8 Hydrogen	25
4.1.9 Black Powder	26
4.1.10 Biogas	26
4.1.11 Other Trace Constituents, Contaminants and Objectionable Material.....	27
4.2 Physical and Composition Dependent Properties	27
4.2.1 Heating Value (Calorific Value)	28
4.2.2 Relative Density (also called Specific Gravity)	28
4.2.3 Ideal Gases.....	29
4.2.4 Real Gases	30
4.2.5 Compressibility Factor.....	30
4.2.6 Temperature	31
4.2.7 Hydrocarbon Dew Point (HDP) and Managing Hydrocarbon Liquid Drop Out	31
4.2.8 Interchangeability Parameters & Wobbe Number.....	32
4.3 Effects on Natural Gas Facilities & Processes.....	34
4.3.1 Distribution Systems	34
4.3.2 Transmission Pipelines	35
4.3.3 Underground Storage.....	35
4.3.4 LNG and Propane-Air Peak-shaving.....	35
4.3.5 Renewable Natural Gas	36
4.3.6 Gas Accounting.....	37
4.4 Considerations for Natural Gas End Users.....	38
4.4.1 Residential Appliance End Users	38
4.4.2 Commercial End Users	38
4.4.3 Industrial End Users and Power Generation	38
5 RANGES OF GAS QUALITY VALUES FOUND IN TARIFFS	40
6 CHECKLIST FOR CONTRACT MEASUREMENT AND GAS QUALITY CLAUSE CONSIDERATIONS	42
7 REFERENCES	47
APPENDIX A	51
TABLE 1: MEASUREMENT METHODS	51

TABLE 2: COMMON GAS SAMPLING & ANALYSIS METHODS	52
APPENDIX B	53
SAMPLE CONTRACT MEASUREMENT AND GAS QUALITY CLAUSES	53
APPENDIX C	59
TARIFF DATA	59
HISTOGRAMS OF TARIFF DATA	99
APPENDIX D	111
FORM FOR PROPOSALS ON AGA REPORT NO. 4A, MARCH 2021	111

1 Purpose and Scope

This report is published as a guidance document to establish a common framework, as well as an industry-wide reference tool for natural gas quality and measurement provisions in contracts or tariffs. It provides an explanation of terminology and examples of representative measurement and gas quality clauses for natural gas flowing through the North American pipeline grid. Specific values or numbers in this report are provided as typical examples and are *not* intended to take precedence over existing contract or tariff values or to serve as industry-wide standards. Rather, the document describes typical gas quality constituents and parameters with associated limits employed to minimize potential end-use impacts. The primary focus is to provide technical information for use in tariffs or contracts, including checklists, that promotes the safety and reliability of gas transmission and distribution infrastructure while maximizing supply opportunities and minimizing potential end-use concerns.

Furthermore, this report provides factors to consider when evaluating appropriate limits for gas quality specifications along with a discussion of available measurement technologies referenced in documents that specify custody transfer transactions.

Specifically, this report includes:

- basic measurement and gas quality concepts, including how some constituents or parameters may impact pipeline systems and end users;
- typical ranges of constituent and parameter values found in tariffs and contracts;
- definitions for most of the terms commonly found in tariff and contract measurement and gas quality clauses; and
- appendices containing general purpose checklists and sample language for tariff and contract measurement and gas quality clauses, pipeline tariff survey data and appropriate references.

2 Terminology and Definitions

2.1 Terminology

Terms used in the gas industry, although not necessarily consistent with other currently accepted publications, have historical significance. Contracts generally refer to tariff provisions for addressing measurement and gas quality specifications. These terms are in many existing operating and service contracts that form the structure of the gas market and cannot be easily discarded. Section 2.2 includes definitions of terms used in this report. The definitions provided are intentionally limited in scope, specific to the content of this publication.

2.2 Definitions

A

Acid Gas – Gas that has components that can form acid compounds in the presence of liquid water.